


NOTES: RYTEC CORP. DOES NOT GUARANTEE A FROST FREE DOOR. THE RANGE OF THE TEC LIGHTS IS APPROXIMATELY TEN (10) VERTICAL FEET. DEPENDING ON SITE CONDITIONS AND RELATIVE HUMIDITY, IT IS POSSIBLE FOR FROST TO BUILD UP ON THE LOWER PORITION OF THE DOOR PANEL.



APPROVAL SIGNATURE

FABRICATION CAN PROCEED ACCORDING TO THE SPECIFICATION SHOWN EXCEPT AS NOTED

PRINT NAME:

SIGNATURE:

	DOOR NO.	Α	В		С	D	Ε	Н	
						23			
		MODEL							
	MODEL: TS — PANEL MATERIAL □ 2-PLY RILON □ 3-PLY RILON □ OTHER				PANEL_COLOR □ BLUE □ ORANGE □ OTHER				
	ELECTRICAL OPTIONS								
	□ 460v - 3ph □ 230v/208v - 3ph □ 230v/208v - 1ph □ 575v - 3ph □ 0THER STANDARD FEATURES 1. WIRELESS BOTTOM BAR (NO COIL CORD) 2. (1) FACTORY INSTALLED SIDE COLUMN PHOTOEYE 3. (1) FIELD INSTALLED PHOTOEYE 4. FRONT BLOWER AND HEAT LAMPS MOUNTED INDEPENDENTLY ON WALL 5. ROTARY DISCONNECT ON CONTROL BOX FOR TEC LIGHTS 6. SYSTEM 4 AC DRIVE 7. LH MOTOR ASSEMBLY 8. 208V & 230V REQUIRE 50 AMP SERVICE 460V & 575V REQUIRE 30 AMP SERVICE 9. HOOD NOT RECOMMENDED 10. WINDOWS NOT RECOMMENDED STANDARD OPTIONS □ SLANT HOOD □ FLAT HOOD 17" WINDOWS: □ ONE □ TWO □ THREE WINDRIBS: □ ONE □ TWO □ THREE ITHRU WALL BRAKE RELEASE □ 575/460V STEP DOWN TRANSFORMER INCULDED IN RYTEC CONTROL BOX □ ROTARY DISCONNECT (NOT FUSED) □ OTHERS (DESCRIBE IN NOTES)								
☐ PHOTOEYE ☐ PULL CORDS ☐ MOTION DETECTOR ☐ RADIO CONTROL ☐ PUSHBUTTON ☐ FLOOR LOOP ☐ OTHERS (DESCRIBE IN NOTES)									
	OPTION NOTES NOTES:								
	RYTEC CORPORATION ONE CEDAR PARKWAY, JACKSON, WI 53037-0403								
	APPROVAL DRAWING								
	- TURBO SEAL® BLOWER & TEC LIGHTS- SYSTEM 4 CUSTOMER:								
	LOCATION:								
	DATE;								

401054-01T

REV.:

DRAWING NOT TO SCALE, ALL DIMENSIONS IN INCHES